

Merit

Merit



This certificate is granted and awarded by the authority of the Nadcap Management Council to:

Diamond Chrome Plating Inc

*604 S. Michigan Ave
Howell, MI 48844
United States*

This certificate demonstrates conformance and recognition of accreditation for specific services, as listed in www.eAuditNet.com on the Qualified Manufacturer's List (QML), to the revision in effect at the time of the audit for:

Chemical Processing

Certificate Number: 3618220168

Expiration Date: 31 May 2025

Accreditation Length: 18 Months



Jay Solomond
Executive Vice President & Chief Operating Officer

Performance Review Institute (PRI) | 161 Thorn Hill Road | Warrendale, PA 15086-7527

Merit

Merit

SCOPE OF ACCREDITATION

Chemical Processing

Diamond Chrome Plating Inc
604 S. Michigan Ave
Howell, MI 48844

This certificate expiration is updated based on periodic audits. The current expiration date and scope of accreditation are listed at: www.eAuditNet.com - Online QML (Qualified Manufacturer Listing).

In recognition of the successful completion of the PRI evaluation process, accreditation is granted to this facility to perform the following:

AC7000 Rev A - AUDIT CRITERIA FOR NADCAP ACCREDITATION

AC7108 Rev J - Nadcap Audit Criteria for Chemical Processing (to be used on audits on/AFTER 12-Jun-2022)

AC7108/04 – Solution Analysis and Testing – AC7108/4 must also be selected

AC7108/07 – Vacuum Cadmium and Aluminum Ion Vapor Deposition – AC7108/7 must also be selected

AC7108/09 – Electroplating and Electroforming – AC7108/9 must also be selected

AC7108/10 – Electroless Plating – AC7108/10 must also be selected

AC7108/12 – Standalone Cleaning, Descaling, Passivation and Electropolishing – AC7108/12 must also be selected

AC7108/13 – Brush Anodizing and Plating – AC7108/13 must also be selected

AC7108/14 – Stripping of Coatings as a Subcontract Process – AC7108/14 must also be selected
General Cleaning and Pre-Cleaning

Alkaline Cleaning (If Titanium Alkaline Cleaning is also carried out then please check Chemical Cleaning – Titanium Cleaning – Alkaline” also)

Solvent Cleaning

Ovens Used for Thermal Treatments at a Set Point above 250°F

Ovens for Thermal Treatments with a set point at or below 250°F (121°C) or for Miscellaneous Heating Processes, e.g. Part Drying.

Stripping of Coatings as an Internal Rework Process

Inorganic Coatings

AC7108/4 Rev C - Nadcap Audit Criteria for Solution Analysis and Testing in Support of Chemical Processing to AC7108 (To Be Used On Audits Conducted On audits on/after 21 January 2018)

Solution Analysis In Support of AC7108

Testing Performed Internally In Support of the Chemical Process Accreditation

B05 – Salt Spray Testing In Support of AC7108

- B10 – Adhesion Testing (Adhesion Tape Testing) In Support of AC7108
- B11 – Adhesion Testing (Scratch and Chisel Test) In Support of AC7108
- B12 – Adhesion Testing (Bend Test) In Support of AC7108
- B14 – Conductivity Testing In Support of AC7108
- B16 – Coating Thickness Measurement In Support of AC7108
- B20 – Porosity Testing In Support of AC7108
- B23 – Other Testing In Support of AC7108

AC7108/7 Rev B - Nadcap Audit Criteria for Vacuum Cadmium Deposition (to be used on audits on/after 5 June 2016)

As Coated

With supplementary chromate treatment

Vacuum Cadmium

AC7108/9 - Nadcap Audit Criteria for Electroplating and Electroforming (to be used on audits BEFORE 18-Feb-2024)

Electroplating

Alloy Plating

Cadmium Plating

Chromium Plating

Nickel Plating

AC7108/10 - Nadcap Audit Criteria for Electroless Plating (to be used on audits on/after 5 June 2016)

Nickel

AC7108/12 Rev A - Nadcap Audit Criteria for Standalone Cleaning, Descaling, Passivation and Electropolishing (to be used on audits on/after 12 July 2020)

Passivation

AC7108/13 - Nadcap Audit Criteria for Brush Anodizing and Plating (to be used on audits on/after 5 June 2016)

Brush Plating

AC7108/14 - Nadcap Audit Criteria for Stripping of Coatings as a Sub-Contract Process (Only select AC7108/14 if stripping is done as an overhaul process or as a sub-contract process. It is not required for internal rework.)